

Trial Portfolio for UNC Multiple Myeloma

| | Frontline | Post-transplant/maintenance | Relapsed/ Refractory | | |
|--|--|---|---|---|---|
| | | | 1+ prior lines | 2+ prior lines | 3+ prior lines |
| | | | Currently open | | |
| Multiple Myeloma | LCCC 1944: Isatuximab + Lenalidomide + Dexamethasone in older/ frail patients with newly diagnosed MM [Phase 2] | S1803: Phase II study of daratumumab/HuPH20 (NSC-810307) + lenalidomide or lenalidomide as post-autologous stem cell transplant maintenance therapy in patients with MM using minimal residual disease to direct therapy duration (Diametric Study) | 640756AMM73002: Isatuximab+PD vs Dara+PD for 1+ prior lines of therapy | No trials in development | No trials in development |
| | | | GSK-207624-DREAMM12 (Part 2): A Phase I Study to Evaluate the Pharmacokinetics and Safety of Belantamab Mafodotin Monotherapy in Participants with Relapsed or Refractory Multiple Myeloma Who Have Normal and Varying Degrees of Impaired Renal Function (DREAMM 12) | LCCC 1463: anti-CD138 CAR-T for R/R myeloma (Run out of CT group) | M24-108: Subject must have a confirmed diagnosis of R/R MM with documented evidence of progression during or after the subject's last treatment regimen. Subject must have received at least 3 or more lines of therapy, including a PI, an IMiD, and an anti-CD38 monoclonal antibody. Subject must have never received BCMA-targeted therapy. Subject has no known central nervous system involvement MM. |
| | No trials in development | No trials in development | No trials in development | R5458-ONC-2012: Subject must have RBMM with progression following at least 3 lines of therapy, or at least 2 lines of therapy and either prior exposure to at least 1 anti-CD38 antibody, 1 immunomodulatory imide drug (IMiD) and 1 proteasome inhibitor (PI), or double refractory to 1 PI and 1 IMiD, or the combination of 1 PI and 1 IMiD. | |
| | LCCC 2119 (SGZ-2020-1320): Isatuximab plus pomalidomide and dexamethasone in highly frail/vulnerable subjects with relapsed or refractory multiple myeloma | | | | |
| | E8 2001-101: Participants with pathologically confirmed MM with measurable M-protein, ECOG performance status score of 2 or less, prior treatment with IMiDs, proteasome inhibitors, and anti-CD38 therapies either in combination or as a single agent. | | | | |
| | ACCRI-MY-1901: Open Label, Phase 2, Single-Arm Study of Selinexor, Daratumumab, Carfilzomib and Dexamethasone for High-Risk, Relapsed and Refractory Multiple Myeloma Patients Who Have Received 1 – 3 Prior Lines of Therapy | | | | |
| | Pending/ In Development/ Coming Soon | | | | |
| No trials in development | In Activation: A042161-CIRB: Transformed Phase 2 Study of Ixazomib Maintenance Therapy Following Idecabegene Vicleucel CAR-1 in Multiple Myeloma Patients | In Activation: M22-674: A Phase 3, Multicenter, Randomized, Open Label Study of ABBV-383 Compared with Standard Available Therapies in Subjects with Relapsed or Refractory Multiple Myeloma (3L+ RBMM Monotherapy Study) | | | |
| No trials in development | No trials in development | No trials in development | | | |
| Smoldering Myeloma | Frontline | Post-transplant maintenance | Relapsed/ Refractory | | |
| | | | 1+ prior lines | 2+ prior lines | 3+ prior lines |
| | Currently open | | | | |
| EAA173: Dara + Len in Smoldering Myeloma [Phase 3] | No trials available | | No trials available | No trials available | |
| Pending/ In Development/ Coming Soon | | | | | |
| No trials in development | No trials in development | No trials in development | No trials in development | No trials in development | |
| Amyloidosis | Frontline | Post-transplant maintenance | Relapsed/ Refractory | | |
| | | | 1+ prior lines | 2+ prior lines | 3+ prior lines |
| | Currently open | | | | |
| No trials available | No trials available | | In Activation: NCI-10440-CIRB: A Phase 1/1a Study of Venetoclax, MLN9708 (ixazomib citrate) and Dexamethasone for Relapsed/Refractory Light Chain Amyloidosis | | |
| Pending/ In Development/ Coming Soon | | | | | |
| No trials in development | No trials in development | | No trials in development | | |
| Other MGRS | Frontline | Post-transplant maintenance | Relapsed/ Refractory | | |
| | | | 1+ prior lines | 2+ prior lines | 3+ prior lines |
| | Currently open | | | | |
| No trials available | No trials available | | No trials available | No trials available | |
| Pending/ In Development/ Coming Soon | | | | | |
| In Activation: MSK 22-424: A Phase II Study of CyBoD (Cyclophosphamide, Bortezomib, Dexamethasone) Plus Daratumumab for Patients with Monoclonal Gammopathy of Renal Significance (MGRS) | | No trials in development | No trials in development | No trials in development | |

TSHS Trials

TSHS Coordinators
 Nick_Mangieri@med.unc.edu
 Kendall_Conder@med.unc.edu

TSHS Manager
 Juliana_Macatone@med.unc.edu

| |
|--|
| LCCC 1728: Plasma cell disorder registry PI: Dr. Sascha Tuchman; Coordinator: Nick Mangieri/Kendall Conder Open to Accrual |
| LCCC 1849 (PERMIT): PI: Dr. Eben Lichtman; Coordinator: Nick Mangieri/Kendall Conder Open to Accrual |
| Patient Discovery: Patient Appointment Companion (PAC) in amyloidosis and multiple myeloma PI: Dr. Sascha Tuchman; Coordinator: Nick Mangieri Closed to Accrual |
| Halo: A Post-authorization Safety Study to Evaluate the Incidence of and Risk Factors for Severe and Fatal Infusion-related Reactions in Participants Treated with Daratumumab (Intravenous or Subcutaneous) PI: Sam Rubinstein; Coordinator: Kendall Conder Open to Accrual |
| Screening for AL Amyloidosis in Smoldering Multiple Myeloma (Save 2.0) PI: Sascha Tuchman New |